



Bird List Jorupe

The area covered includes the entire present Jorupe Reserve (which hopefully will still to be expanded), mainly along the road up to the former Barriga property and along the main road to Sabiango (along which the reserve's present headquarters is located, at ca. 500 m). It also includes the "upper area," accessed both from the Barriga property (though to date only L. Navarrete has managed to do so), and from the side road that ascends to near the Santa Teresa property (at 2000-2200 m); species found only here, above ca. 900-1000 m, are marked "upper." Species marked with an asterisk are "Tumbesian endemics" (a few of these also extend locally into the upper Río Marañón drainage). Many of these are more easily found here than anywhere else in their range.

- Little Tinamou, *Crypturellus soui* - R
- * Pale-browed Tinamou, *Crypturellus transfasciatus* - C
- Comb Duck, *Sarkidiornis melanotos* - R
- Cocoi Heron, *Ardea cocoi* - R
- Great Egret, *Ardea alba* - U
- Snowy Egret, *Egretta thula* - U
- Cattle Egret, *Bubulcus ibis* - R
- King Vulture, *Sarcoramphus papa* - U
- Black Vulture, *Coragyps atratus* - C
- Turkey Vulture, *Cathartes aura* - FC
- Swallow-tailed Kite, *Elanoides forficatus* - FC
- Bicolored Hawk, *Accipiter bicolor* - R
- Crane Hawk, *Geranospiza caerulescens* - R
- * Gray-backed Hawk, *Leucopternis occidentalis* - U
- Savanna Hawk, *Buteogallus meridionalis* - FC
- Harris's Hawk, *Parabuteo unicinctus* - FC
- Roadside Hawk, *Buteo magnirostris* - VR
- Short-tailed Hawk, *Buteo brachyurus* - U

Zone-tailed Hawk, *Buteo albonotatus* - R
Laughing Falcon, *Herpetotheres cachinnans* - U
Northern Crested Caracara, *Caracara cheriway* - FC
Collared Forest Falcon, *Micrastur semitorquatus* - R
Bat Falcon, *Falco ruficularis* - R
* Rufous-headed Chachalaca, *Ortalis erythroptera* - U
Rufous-necked Wood Rail, *Aramides axillaris* - U
Spotted Sandpiper, *Actitis macularius* - U
* Peruvian Thick-knee, *Burhinus peruvianus* - VR
Black-necked Stilt, *Himantopus mexicanus* - VR
Eared Dove, *Zenaida auriculata* - FC
Croaking Ground Dove, *Columbina cruziana* - U
White-tipped Dove, *Leptotila verreauxi* - C
* Ochre-bellied Dove, *Leptotila ochraceiventris* - U
White-throated Quail-Dove, *Geotrygon frenata* - FC (upper)
* Red-masked Parakeet, *Aratinga erythrogenys* - FC
*Pacific Parrotlet, *Forpus coelestis* - C
*Gray-cheeked Parakeet, *Brotogeris pyrrhopterus* -FC
Black-billed Cuckoo, *Coccyzus erythrophthalmus* - R
*Gray-capped Cuckoo, *Coccyzus lansbergi* - R
Squirrel Cuckoo, *Piaya cayana* - U
Groove-billed Ani, *Crotophaga sulcirostris* - C
Striped Cuckoo, *Tapera naevia* - R
Barn Owl, *Tyto alba* - R
* West Peruvian Screech Owl, *Megascops roboratus* - FC
White-throated Screech Owl, *Megascops albogularis* - R (upper)
* Pacific Pygmy Owl, *Glaucidium peruanum* - C
Spectacled Owl, *Pulsatrix perspicillata* - U
Mottled Owl, *Strix virgata* - R (upper)
Striped Owl, *Asio clamator* - R
Pauraque, *Nyctidromus albicollis* - FC
White-collared Swift, *Streptoprocne zonaris* - FC
Chestnut-collared Swift, *Cypseloides rutilus* - U
*Tumbes Swift, *Chaetura ocybetes* - U
Lesser Swallow-tailed Swift, *Panyptila cayennensis* - U

Gray-chinned Hermit, *Phaethornis griseogularis* - U
Brown Violetear, *Colibri delphinae* - R
Sparkling Violetear, *Colibri coruscans* - FC (upper)
* Emerald-bellied Woodnymph, *Thalurania hypochlora* - R (upper)
* Tumbes Hummingbird, *Leucippus baeri* - R
* Amazilia Hummingbird, *Amazilia amazilia* - C
White-vented Plumeleteer, *Chalybura buffonii* - R (upper)
Speckled Hummingbird, *Adelomyia melanogenys* - C (upper)
Rainbow Starfrontlet, *Coeligena iris* - U (upper)
Booted Racket-tail, *Ocreatus underwoodii* - FC (upper)
Long-billed Starthroat, *Heliomaster longirostris* - FC
White-bellied Woodstar, *Chaetorcercus mulsant* - R
* Little Woodstar, *Chaetocercus bombus* - R
* Short-tailed Woodstar, *Myrmia micrura* - R
* Ecuadorian Trogon, *Trogon mesurus* - FC
Ringed Kingfisher, *Megaceryle torquata* - U
Green Kingfisher, *Chloroceryle americana* - R
Blue-crowned Motmot, *Momotus momota* - FC
* Ecuadorian Piculet, *Picumnus sclateri* - FC
Golden-olive Woodpecker, *Picumnus rubiginosus* - FC
Lineated Woodpecker, *Dryocopus lineatus* - U
* Scarlet-backed Woodpecker, *Veniliornis callonotus* - FC
* Guayaquil Woodpecker, *Campephilus gayaquilensis* - U
* Pacific Hornero, *Furnarius cinnamomeus* - C
Azara's Spinetail, *Synallaxis azarae* - C (upper)
* Blackish-headed Spinetail, *Synallaxis tithys* - U
* Line-cheeked Spinetail, *Cranioleuca antisiensis* - C (upper)
* Rufous-necked Foliage-gleaner, *Syndactyla ruficollis* - FC
* Henna-hooded Foliage-gleaner, *Hylocryptus erythrocephalus* - FC
Streaked Xenops, *Xenops rutilans* - U
Olivaceous Woodcreeper, *Sittasomus griseicapillus* - FC
Strong-billed Woodcreeper, *Xiphocolaptes promeropirhynchus* - R
Streak-headed Woodcreeper, *Lepidocolaptes souleyetii* - C
Montane Woodcreeper, *Lepidocolaptes lacrymiger* - U (upper)
Red-billed Scythebill, *Campylorhamphus trochilirostris* - U

Great Antshrike, *Taraba major* - U

* Collared Antshrike, *Sakesphorus bernardi* - FC

* Chapman's Antshrike, *Thamnophilus zarumae* - FC (upper area)

Plain Antvireo, *Dysithamnus mentalis* - FC

* Gray-headed Antbird, *Myrmeciza griseiceps* - U (upper area)

Scaled Antpitta, *Grallaria guatimalensis* - U (upper area)

Chestnut-crowned Antpitta, *Grallaria ruficapilla* - C (mainly upper)

* Watkins's Antpitta, *Grallaria watkinsi* - FC

* Elegant Crescentchest, *Melanopareia elegans* - FC

Blackish Tapaculo, *Scytalopus latrans* - C (upper)

Tawny-rumped Tyrannulet, *Phyllomyias uropygialis* - R (upper)

Loja Tyrannulet, *Zimmerius flavidifrons* - FC (upper)

Southern Beardless Tyrannulet, *Camptostoma obsoletum* - C

* Tumbesian Tyrannulet, *Phaeomyias tumbeziana* - U (upper)

* Pacific Elaenia, *Myiopagis subplacens* - FC

White-tailed Tyrannulet, *Mecocerculus poecilocercus* - FC (upper)

Tawny-crowned Pygmy-Tyrant, *Euscarthmus meloryphus* - FC

Ochre-bellied Flycatcher, *Mionectes oleagineus* - R

Scale-crested Pygmy-Tyrant, *Lophotriccus pileatus* - FC (upper)

Common Tody-Flycatcher, *Todirostrum cinereum* - C

Yellow-olive Flatbill, *Tolmomyias sulphurescens* - C

Bran-colored Flycatcher, *Myiophobus fasciatus* - FC

Western Wood Pewee, *Contopus sordidulus* - VR (upper)

* Tumbes Pewee, *Contopus punensis* - FC

Olive-sided Flycatcher, *Contopus cooperi* - R

Smoke-colored Pewee, *Contopus fumigatus* - FC (upper)

* Gray-breasted Flycatcher, *Lathrotriccus griseipectus* - FC

Black Phoebe, *Sayornis nigricans* - U

Vermilion Flycatcher, *Pyrocephalus rubinus* - R

* Short-tailed Field Tyrant, *Muscigralla brevicauda* - R

Dusky-capped Flycatcher, *Myiarchus tuberculifer* - FC (especially in upper area)

* Sooty-crowned Flycatcher, *Myiarchus phaeocephalus* - U

Boat-billed Flycatcher, *Megarynchus pitangua* - FC

Social Flycatcher, *Myiozetetes similis* - U

Streaked Flycatcher, *Myiodynastes maculatus* - FC
* Baird's Flycatcher, *Myiodynastes bairdii* - U
Piratic Flycatcher, *Legatus leucophaeus* - R
Tropical Kingbird, *Tyrannulus melancholicus* - C
* Snowy-throated Kingbird, *Tyrannus niveigularis* - VR
* Slaty Becard, *Pachyramphus spodiurus* - U
Black-and-white Becard, *Pachyramphus albogriseus* - FC
One-colored Becard, *Platypsaris homochrous* - C
* White-tailed Jay, *Cyanocorax mystacalis* - FC
Rufous-browed Peppershrike, *Cyclarhis gujanensis* - C
Red-eyed Vireo, *Vireo olivaceus* - U
Brown-capped Vireo, *Vireo leucophrys* - FC (upper)
Lesser Greenlet, *Hylophilus decurtatus* - U
Slaty-backed Nightingale-Thrush, *Catharus fuscater* - FC (upper)
Swainson' Thrush, *Catharus ustulatus* - U
Great Thrush, *Turdus fuscater* - C (upper)
Glossy-black Thrush, *Turdus serranus* - FC (upper)
* Plumbeous-backed Thrush, *Turdus reevei* - C
Ecuadorian Thrush, *Turdus maculirostris* - U
* Andean Slaty Thrush, *Turdus nigriceps* - U (upper)
* Long-tailed Mockingbird, *Mimus longicaudatus* - C
White-capped Dipper, *Cinclus leucocephalus* - R
Gray-breasted Martin, *Progne chalybea* - FC
Blue-and-white Swallow, *Notiochelidon cyanoleuca* - FC (mostly upper)
Southern Rough-winged Swallow, *Stelgidopteryx ruficollis* - R
* Chestnut-collared Swallow, *Petrochelidon rufocollaris* - U (mostly Macara)
* Fasciated Wren, *Campylorhynchus fasciatus* - C
* Speckle-breasted Wren, *Thryothorus sclateri* - C
Southern House Wren, *Troglodytes musculus* - C
Gray-breasted Wood Wren, *Henicorhina leucophrys* - FC (upper)
Tropical Gnatcatcher, *Polioptila plumbea* - FC
Tropical Parula, *Parula pitiayumi* - FC
Black-and-white Warbler, *Mniotilta varia* - VR

* Black-lored Yellowthroat, *Geothlypis auricularis* - R
Slate-throated Whitestart, *Myioborus miniatus* - FC (upper)
Black-crested Warbler, *Basileuterus nigrocristatus* - U (upper)
* Three-banded Warbler, *Basileuterus trifasciatus* - FC (mainly upper)
* Gray-and-gold Warbler, *Basileuterus fraseri* - C
Bananaquit, *Coereba flaveola* - FC
Fawn-breasted Tanager, *Pipraeidea melanonota* - U
*Crimson-breasted Finch, *Rhodospingus cruentus* - R
Silver-backed Tanager, *Tangara viridicollis* - FC (upper)
Blue-gray Tanager, *Thraupis episcopus* - FC
Highland Hepatic Tanager, *Piranga lutea* - U
* Piura Hemispingus, *Hemispingus piurae* - R (upper)
* Black-and-white Tanager, *Conothraupis speculigera* - R
Plushcap, *Catamblyrhynchus diadema* - U (upper)
* Black-cowled Saltator, *Saltator nigriceps* - upper area
Streaked Saltator, *Saltator striatipectus* - C
Southern Yellow Grosbeak, *Pheucticus chrysogaster* - C
Blue-black Grassquit, *Volatinia jacarina* - FC
Dull-colored Grassquit, *Tiaris obscurus* - FC
Variable Seedeater, *Sporophila corvina* - U
Black-and-white Seedeater, *Sporophila luctuosa* - R (upper)
*Chestnut-throated Seedeater, *Sporophila telasco* - R
Saffron Finch, *Sicalis flaveola* - C
* White-winged Brushfinch, *Atlapetes leucopterus* - U (mainly upper)
* White-headed Brushfinch, *Atlapetes albiceps* - R
Stripe-headed Brushfinch, *Buarremon torquatus* - FC (upper)
* Black-capped Sparrow, *Arremon abeillei* - FC
Rufous-collared Sparrow, *Zonotrichia capensis* - C (upper)
* Collared Warbling Finch, *Poospiza hispaniolensis* - R
Yellow-rumped Cacique, *Cacicus cela* - U
Yellow-billed Cacique, *Amblycercus holosericeus* - U
Russet-backed Oropendola, *Psarocolius angustifrons* - R (upper)
Shiny Cowbird, *Molothrus bonariensis* - C
Scrub Blackbird, *Dives warzewiczi* - C
* White-edged Oriole, *Icterus graceannae* - FC

Yellow-tailed Oriole, *Icterus mesomelas* - U

* Peruvian Meadowlark, *Sturnella bellicosa* - FC

Hooded Siskin, *Carduelis magellanica* - FC (upper)

Thick-billed Euphonia, *Euphonia laniirostris* - C

*Saffron Siskin, *Carduelis siemiradzkii* - R